

T5N

R2E



Office of the Monroe County Surveyor
Trohn Enright-Randolph

Health Services Building
119 West 7th Street
Bloomington, IN 47404
Phone: (812) 349-2570

Dear User,


The following images were obtained in 2017 by the Office of the Monroe County Surveyor from the State Imaging and Microfilm Laboratory at the Indiana State Archives. The field notes and plats for Jackson County are stored on microfilm Reel 7545 at the Indiana State Archives. Each page provided by the State Imaging and Microfilm Laboratory is approximately 18MB. Our office combined the pages by Township & Range and reduced the resulting pdfs. This process may have caused some degradation in quality. We will provide unreduced images of specific pages if required. Please contact us at 812-349-2570 or at SurveyorsOffice@co.monroe.in.us to request a higher quality image of any specific page.

The pdfs are bookmarked with the original page numbers as assigned by the State Imaging and Microfilm Laboratory.

Be prepared to provide the county name, reel number, and the required page numbers when requesting full sized images.

If you would like a DVD of an entire county, please provide us with one DVD per county along with a self-addressed, stamped envelope.

Trohn Enright-Randolph
Monroe County Surveyor



Township N°V North of the Base Line, Range N°II East of 2nd Meridian. Surveyed by Arthur Henric - 1811

Description of the Soil on the interior Sectional lines.

Between Sections	Quality &c.	Between Sections	Quality &c.	Between Sections	Quality &c.
35.36	Land Hilly - Timber Sugar, Beech, Oak & Hickory	33.34	High mile over good rich land - Timber Poplar, Ash & Birch	31.32	Good farming land - Timber Poplar, Beech, Ash & Hawthorn
36.25	ditto	34.35	Land rolling - Timber Same	32.33	ditto
25.26	ditto	27.28	Land Hilly - Timber Same	29.30	ditto
24.25	ditto	22.27	ditto	28.29	ditto
23.24	Land Hilly - Timber the Same	21.22	Over broken land - Timber Oak & Beech	19.20	ditto
24.13	ditto	15.22	Land rolling - Beech	17.28	ditto
13.14	ditto	15.16	ditto	17.18	ditto
12.13	ditto	15.10	ditto	17.8	Land same - Timber Sugar, Beech, Walnut
11.12	Over very hilly Oak - Timbered land	9.10	ditto	8.7	ditto
1.12	ditto	10.3	ditto	8.5	ditto
1.2	Over good farming - Timber Poplar, Beech &c.	3.11	ditto	6.7	Land rich & rolling
34.35	Hilly Land - Timber Sugar, Beech &c.	32.32	Land very hilly - Timber Oak, Hickory, Beech &c.	7.18	Land rich - Timber Sugar, Beech, Hawthorn, Sprucewood
33.26	Land Hilly - Timber Oak, Hickory	33.28	ditto	18.19	Land rich & level
26.27	Land good for farming - Timber Beech, Poplar	28.29	ditto	19.30	Over hilly land - Timber Oak & Hickory
26.33	ditto	28.21	ditto	30.31	Land rich & level
22.23	Land Hilly - Timber the Same	20.21	ditto		
23.14	ditto	21.16	ditto		
14.15	ditto	16.17	Land good for farming, Timber the Same		
11.14	Timber Oak, Hickory, Beech, Land level	16.9	ditto		
10.11	ditto	9.8	ditto		
2.11	ditto	9.4	ditto		
2.3	ditto	4.5	ditto		

Township N. 5 North, Range N. 2 East 2nd Mer.

Range Line — var. 7° 0' E.		North	On the East Side of Sec. 12
North	Between Ranges 2 & 3 E. Town 5 North	40.00	gr. Sec. Corner Beech 8 St 68 E 3
	On the East Side of Sec. 36		do 8 St 8 E 33
40.00	gr. Sec. Corner Poplar 20 St 45 N 23	74.00	A. Brook 10 lks East
	Beech 12 St 70 E 25	80.00	Set post corner to Sec. 1 & 12
75.75	A. Brook 10 lks. N. W		Beech 20 St 6 E 50
80.00	Set post corner to Sec. 25 St 36		do 20 St 50 N 28
	Beech 20 St 11 E 13		Same the same
	do 11 St 57 E 11	North	On the East Side of Sec. 1
	Same Broken. Beech. Poplar V.	40.00	gr. Sec. Corner Beech 18 St 85 N 3
North	On the East Side of Sec. 25		do 6 St 5 N 31
25.70	A. Sugar 10 in. diam.	80.00	Set post corner to Towns 5 & 6 in Ranges 2 & 3 E
40.00	gr. Sec. Corner Beech 12 St 15 N 30		Beech 28 St 85 E 23
	do 6 St 9 N 16		do 15 St 83 N 28
48.50	A. Brook 20 lks West		Same & Timber the same
60.00	A. Gum 12 in. diam.		Township Line — Random
74.00	A. Brook 20 lks West	West	Between Townships 4 & 5 N. R. 2 E
80.00	Set post corner to Sec. 24 St 28		On Random
	Beech 28 St 16 N 14	40.00	Set temporary gr. Sec. post
	Sugar 10 St 88 E 7	80.00	Set temporary mile post
	Same & Timber the same		Same Millg. Timber Oak V.
North	On the East Side of Sec. 24	West	Line continued On Random
22.70	A. Poplar 36 in. diam.	40.00	Set temporary gr. Sec. post
40.00	gr. Sec. Corner Poplar 36 South 18	75.50	A. Brook 75 lks South
	Beech 6 St 63 E 4	80.00	Set temporary mile post
80.00	Set post corner to Sec. 13 St 24	West	Line continued On Random
	Richy 12 St 88 E 8	40.00	Set temporary gr. Sec. post
	Sugar 8 St 65 N 14	60.00	A. Spring run 6 lks. South
	Same the same	80.00	Set temporary mile post
North	On the East Side of Sec. 13		Good farming land. Timber same
19.38	A. Brook 50 lks West	West	Line continued On Random
32.50	A. Brook 10 lks S. E	40.00	Temporary gr. Sec. post
40.00	gr. Sec. Corner Maple 8 St 7 E 35	80.00	Set temporary mile post
	Beech 8 St 31 N 15		
80.00	Set post corner to Sec. 12 St 13		
	Beech 8 St 1 N 13		
	do 8 St 8 E 10		

West	Line continued On Random	East	Continued on true line
9.00	N. Brook 100 lks. South	40.00	gr. Sec. Corner Dogwood 6 N 13 W 8 Beech 6 N 83 W 15
40.00	Set temporary gr. Sec. post	80.00	Set post corner to Sec. 35 N 36 Beech 6 N 57 E 27 Walnut 12 S 36 E 29
80.00	Set temporary mile post		
	Good farming land. Oak. Beech. Poplar V.	East	Continued on true line
West	Line continued On Random	40.00	gr. Sec. Corner W. Oak 12 N 21 W 7 Dogwood 5 N 80 E 43
40.00	Set temporary gr. Sec. post	80.00	Township corner
71.25	Set South of Town Corner		
	Very Rich farming land. Oak. Beech. Poplar V.		
	True line — var. 6° 10' E.		
East	Between Townships 4 & 5 N. R. 2 East		
31.25	gr. Sec. corner Sugar 12 N 59 E 7 Beech 6 S 12 E 23		
71.25	Set post to corner of Sec. 31 N 32 Beech 12 N 75 E 17 do 10 N 37 W 20		
East	Line continued		
40.00	On true line Beech 10 N 24 W 1 do 12 S 24 E 26		
80.00	Set post to corner of Sec. 32 N 33 W. Oak 10 S 81 E 28 B. Oak 20 S 70 W 11		
East	Continued On true line		
40.00	gr. Sec. corner Hickory 10 N 56 E 12 W. Oak 12 S 12 E 22		
80.00	Set post to corner of Sec. 33 N 34 Beech 10 N 23 E 4 do 8 S 79 W 20		
East	Continued on true line		
40.00	gr. Sec. corner Beech 20 S 84 E 24 Dogwood 8 N 68 W 22		
80.00	Set post corner to Sec. 34 N 35 Sugar 10 S 64 E 10 Beech 12 S 67 W 6		
			Surveyed by Arthur Mann D.S.

Subdivisions of 15 St. Range 2 East		North	Between Secs 23 & 24
40.00	gr. Sec. corner Dogwood 6 ft E 3 Poplar 10 ft S 7 W 15	40.00	gr. Sec. corner Ironwood 6 ft 10 E 19 Sycamore 24 ft 14 E 21
60.00	A. Brook 12 lbs North	43.00	A. Brook 5 lbs West
78.00	A. Brook 30 lbs S. W	80.00	Set post corner of Secs 13, 14, 23, 24 Elm 10 ft 10 E 10 Beech 2 ft 24 E 8
80.00	Set post corner to Secs 25, 26, 35, 36 Elm 8 ft 5 W 24 do 12 ft 20 E 38		Small Hilly. Beech. Oak. Sugar & Hickory
	Small Hilly. timber Beech. Oak. Sugar & Hickory	East	Between Secs 13 & 24 On Random
East	Between Secs 25 & 36 On Random	16.00	A. Brook 10 lbs South
1.00	A. Brook 30 lbs S. W	40.00	Temporary gr. Sec. post
40.00	Set Temporary gr. Sec. post	33.00	A. Brook 40 lbs S. W
80.40	Intersected N & S line 12 lbs South of post Sand & Timber the same	80.50	Intersected N & S line 40 lbs S. of post Sand & Timber same
West	Corrected	West	Corrected
40.20	gr. Sec. corner Elm 10 ft 3 W 17 Beech 10 ft 4 E 27	40.25	gr. Sec. corner Beech 6 ft 31 W 22 do 12 ft 4 W 38
80.40	Section corner	80.50	Section corner
North	Between Secs 25 & 26	North	Between Secs 13 & 14
35.00	A. Poplar 30 in. diam?	20.00	A. Brook 10 lbs S. W
40.00	gr. Sec. corner Beech 20 ft 2 E 38 do 18 ft 10 E 26	40.00	gr. Sec. corner W. Oak 10 ft 8 E 10 no more trees
80.00	Set post corner to Secs 23, 24, 25, 26 Dogwood 8 ft 8 E 7 do 7 ft 9 E 26	80.00	Set post corner to Secs 11, 12, 13, 14 Poplar 12 ft 8 E 19 Sugar 6 ft 37 E 15
	Small & Timber the same		Small & Timber the same
East	Between Secs 24 & 25 On Random	East	Between Secs 12 & 13 On Random
40.00	Temporary gr. Sec. post	14.50	A. Brook 12 lbs South
80.00	Intersected N & S line 20 lbs South of post Sand & Timber the same	40.00	Temporary gr. Sec. post
West	Corrected	80.76	Intersected N & S line 12 lbs South of post Sand & Timber the same
40.00	gr. Sec. corner Beech 6 ft 33 E 16 do 10 ft 55 W 17	West	Corrected
80.00	Section corner	40.38	gr. Sec. corner Sugar 6 ft 50 W 12 W. Oak 7 ft 19 E 10
		80.76	Section corner

North	Between Secs 11 & 12	East	Between Secs 26 & 35 On Random
40.00	gr. Sec. corner Hickory 6 East 10 no other tree	40.00	Temporary gr. Sec. post
80.00	Set post corner to Secs 1, 2, 11, 12 Beech 6 ft 4 W 4 Sugar 20 ft 22 E 21 Small very Hilly. Oak timber	79.35	Intersected N & S line 10 lbs South of post Small Hilly. timber Oak. Hickory &
East	Between Secs 11 & 12 On Random	West	Corrected
40.00	Temporary gr. Sec. post	39.75	gr. Sec. corner Beech 8 ft 61 W 26 do 8 ft 52 E 9
79.75	Intersected N & S line 12 lbs South of post Small the same	79.55	Section corner
West	Corrected	North	Between Secs 26 & 27
39.95	gr. Sec. corner Beech 20 ft 45 E 25 do 8 ft 30 W 5	40.00	gr. Sec. corner Elm 6 ft 19 W 7 Beech 10 ft 61 E 17
79.75	Section corner	65.10	A. W. Oak 20 in. diam?
North	Between Secs 1 & 12	80.00	Set post corner to Secs 22, 23, 26, 27 Beech 12 ft 15 E 40 do 10 ft 10 W 26
40.00	gr. Sec. corner Dogwood - 11 ft 30 E 11 Beech 6 ft 35 W 10		Good farming land. Beech. Poplar &
74.50	A. Sugar 20 in. diam?	East	Between Secs 23 & 26 On Random
82.75	Set post on the North Boundary 15 lbs W of post Ironwood 6 ft 54 W 6 Beech 8 ft 16 W 20 Good farming land. Poplar. Beech &	20.00	A. Brook 40 lbs S. W
		36.00	Same S. W
		40.00	Temporary gr. Sec. post
		79.10	Intersected N & S line 20 lbs South of post Small the same
		West	Corrected
		39.55	gr. Sec. corner W. Oak 20 ft 77 W 22 do 17 ft 19 E 21
		79.10	Section corner
		North	Between Secs 22 & 23
		4.00	A. Brook 40 lbs West
		40.00	gr. Sec. corner Beech 10 ft 6 E 24 Ironwood 8 ft 30 E 23
		80.00	Set post corner to Secs 14, 15, 22, 23 W. Oak 8 ft 67 E 9 Beech 8 ft 68 W 10
			Small Hilly. timber Same

East Between Secs 14 & 23 On Random
 33.20 A. Brook 10 lks. South
 40.00 Temporary of Sec. corner
 79.45 Intersected N & S line 12 lks N. of post
 Sand & timber same
 West Corrected
 39.72 1/2 of Sec. corner W. Oak 10 N 25 W 11
 Chestnut 12 S 55 E 19
 79.45 Section corner
 North Between Secs 10 & 11
 40.00 of Sec. corner Sugar 24 S 34 W 45
 Beech 12 N 50 E 27
 80.00 Set post corner to Secs 2, 3, 10, 11
 Beech 20 S 14 E 27
 Dogwood 5 N 31 W 20
 Sand the same
 East Between Secs 2 & 11 On Random
 40.00 Temporary of Sec. post
 79.92 Intersected N & S line 80 lks N. of post
 Sand the same
 West Corrected
 39.96 of Sec. corner Beech 8 N 17 W 17
 Hickory 18 S 2 E 17
 79.90 Section corner
 North Between Secs 2 & 3
 3.00 A. Brook 10 lks West
 26.50 A. Brook 10 lks N. W
 40.00 of Sec. corner Sugar 6 S 11 E 12
 Beech 9 S 55 E 22
 76.50 A. Brook 40 lks. West
 81.02 Set post on the N. Boundary 208 lks E. of post
 Beech 6 S 13 W 7
 do 5 S 48 E 4
 Sand the same

North Between Secs 33 & 34
 40.00 of Sec. corner B. Walnut 20 South 95
 No other tree
 80.00 Set post corner to Secs 27, 28, 33, 34
 Beech 10 S 14 E 6
 do 24 N 82 W 36
 Jack Oak, lumb. Poplar, Ash, Beech &
 East Between Secs 27 & 34 On Random
 40.00 Temporary of Sec. post
 73.00 A. Brook 50 lks South
 80.55 Intersected N & S line 48 lks N. of post
 Sand rolling timber same
 West Corrected
 40.27 1/2 of Sec. corner Elm 10 N 15 W 13
 Beech 10 N 53 E 19
 80.55 Section corner
 North Between Secs 27 & 28
 40.00 of Sec. corner Dogwood 6 N 15 E 10
 Hickory 3 N 7 W 19
 80.00 Set post corner of 21, 22, 27, 28
 Beech 20 N 51 W 13
 do 20 S 10 W 27
 Sand Hilly timber the same
 East Between Secs 22 & 27 On Random
 40.00 Temporary of Sec. post
 54.00 A. Spring North
 67.00 A. Brook 10 lks S. E.
 76.00 A. Brook 50 lks South
 80.20 Intersected N & S line 12 lks N. of post
 Sand the same
 West Between Secs 22 & 27 Corrected
 40.10 of Sec. corner Beech 10 S 49 E 26
 do 20 S 56 W 22
 80.20 Section corner

North Between Secs 21 & 22
 30.00 Fine Ridge 8 lks E. of Rocks
 33.00 H. Brook 50 lks. S. W
 40.00 of Sec. corner Beech 6 S 26 W 5
 do 12 S 49 E 18
 45.00 Same Brook S. E.
 54.00 Same Brook S. W } on the North side
 74.00 Same Brook S. E } high bluffs of Rocks
 80.00 Set post corner to Secs 15, 16, 21, 22
 Mulberry 6 N 9 E 20
 Beech 24 S 12 E 23
 Broken lumb. Timber Oak Beech &
 East Between Secs 15 & 22 On Random
 40.00 Temporary of Sec. post
 66.50 H. Brook 12 lks. S. W
 80.00 Intersected N & S line 20 lks N. of post
 Sand Rich & nothing
 West Between Secs 15 & 22 Corrected
 40.00 of Sec. corner Elm 10 S 44 W 4
 Hickory 8 S 51 E 6
 80.00 Section corner
 North Between Secs 15 & 16
 40.00 of Sec. corner Beech 10 N 11 W 13
 Sugar 16 S 3 W 16
 57.00 H. Brook 10 lks. West
 80.00 Set post corner of Secs 9, 10, 15, 16
 Hickory 8 N 84 E 9
 do 6 S 29 W 9
 Hilly lumb. Beech, Poplar, Ang. Dogwood
 East Between Secs 10 & 15 On Random
 40.00 Temporary of Sec. post
 80.00 Intersected N & S line 8 lks. N. of post
 Sand the same
 West Corrected
 40.00 of Sec. corner Hickory 12 S 45 W 2
 Dogwood 6 N 72-20
 80.00 Section corner

North Between Secs 9 & 10
 40.00 of Sec. corner Beech S 30 W 21
 Elm 6 S 33 W 11
 This post stands in a Brook 10 lks. West
 80.00 Set post corner to Secs 3, 4, 9, 10
 Sugar 6 N 44 W 8
 Beech 8 N 13 E 11
 Sand Hilly Beech, Poplar, Ang. Dogwood
 East Between Secs 3 & 10 On Random
 18.00 A. Brook 15 lks N. W
 40.00 Temporary of Sec. post
 80.00 Intersected N & S line 10 lks N. of post
 Sand the same
 West Corrected
 40.00 of Sec. corner Sugar 12 N 77 E 32
 Dogwood 6 S 16 W 5
 80.00 Section corner
 North Between Secs 3 & 4
 1.00 A. Brook 20 lks. S. W
 40.00 of Sec. corner Ironwood 6 N 25 W 15
 Beech 20 S 6 W 27
 47.00 H. Brook 40 lks. N. W
 81.75 Set post on the N. Boundary 175 lks E. of post
 Beech 10 N 18 W 10
 Sugar 14 S 3 E 20
 Sand the same
 North Between Secs 32 & 33
 40.00 of Sec. corner in a Brook 50 lks S. W
 Sycamore 10 S 40 E 26
 80.00 Set post corner of Secs 28, 29, 32, 33
 Hickory 10 S 37 E 15
 Beech 38 N 78 W 16
 Sand very Hilly Oak, Hickory, Beech
 &

East Between Sec^s 28 & 33 On Railroad
 40.00 Temporary of Sec. post
 43.00 A. Brook 50 lks South
 79.75 Intersected N & S line 4 lks South of post
 Sand very dry Oak Hickory Beech etc.
 West Between Sec^s 28 & 33 Corrected
 39.87 1/2 of Sec. corner Beech 6 S 70 W 4
 Sugar 12 S 25 E 11
 79.75 Section corner
 North Between Sec^s 28 & 29
 33.90 A. W. Oak 28 in. diam.
 40.00 of Sec. corner Dogwood 6 S 34 W 11
 do 5 S 51 W 19
 50.00 Set post corner to Sec^s 20, 21, 28, 29
 Beech 8 S 49 E 4
 do 6 S 50 W 14
 Sand the same
 East Between Sec^s 21 & 28 On Railroad
 40.00 Temporary of Sec. post
 42.50 A. Brook 50 lks South
 65.00 A. Brook 9 lks S. W
 80.00 Intersected N & S line 20 lks S. of post
 Sand the same
 West Corrected
 40.00 of Sec. corner Beech 6 S 68 E 9
 do 8 S 15 W 17
 80.00 Section corner
 North Between Sec^s 20 & 21
 35.00 A. Brook 10 lks East
 40.00 of Sec. corner Beech 24 S 23 E 10
 Chesnut 12 S 3 E 29
 80.00 Set post corner of Sec^s 16, 17, 20, 21
 Beech 24 S 80 E 14
 Sugar 8 S 21 W 25
 Sand the same

East Between Sec^s 16 & 21 On Railroad
 37.25 A. Brook 50 lks South
 40.00 Temporary of Sec. post
 64.00 A. Brook 10 lks S. W
 79.00 Intersected N & S line 20 lks South of post
 West Between Sec^s 10 & 21 Corrected
 39.50 of Sec. corner Beech 20 S 12 W 13
 Sugar 6 S 34 W 3
 79.00 Section corner
 North Between Sec^s 16 & 17
 40.00 of Sec. corner Beech 10 S 5 E 35
 this post stands on the N. side of Brook 10 lks -
 (S E)
 59.50 A. Brook 12 lks East
 80.00 Set post corner of Sec^s 8, 9, 16, 17
 Beech 6 S 16 W 7
 do 12 East 15
 Sand good for farming Oak Hickory Beech etc.
 East Between Sec^s 9 & 16 On Railroad
 34.00 A. Brook 50 lks S. W. on the E. side Pine
 40.00 Temporary of Sec. post
 79.84 Intersected N & S line 52 lks S. of post
 Sand the same
 West Corrected
 39.72 of Sec. corner Beech 6 S 84 W 8
 Maple 7 S 44 W 4
 79.84 Section corner
 North Between Sec^s 8 & 9
 40.00 of Sec. corner Beech 6 S 13 E 7
 do 8 S 14 E 16
 50.00 A. Chesnut 30 in. diam.
 80.00 Set post corner to Sec^s 4, 5, 8, 9
 Sugar 10 S 35 W 23
 Ash 30 S 5 W 27
 Sand the same

East Between Sec^s 4 & 9 On Railroad
 1.50 A. Brook 12 lks South
 40.00 Temporary of Sec. post
 43.00 A. Brook 10 lks S. E
 48.00 A. Brook 40 lks South
 75.00 A. Brook 12 lks S. W
 79.10 Intersected N & S line 79 lks S. of post
 Sand the same
 West Corrected
 39.55 of Sec. corner Sugar 10 S 48 E 7
 Beech 12 S 43 E 16
 79.10 Section corner
 North Between Sec^s 4 & 5
 1.00 A. Brook 10 lks East
 40.00 of Sec. corner Beech 6 S 63 W 9
 do 7 S 11 W 18
 52.35 Set post of West Boundary 4.5 lks E of post
 Sugar 10 S 65 W 16
 Ironwood 6 S 57 E 22
 Sand the same
 North Between Sec^s 31 & 32
 8.00 A. Spring run 5 lks East
 30.00 A. Spring East
 40.00 of Sec. corner Sugar 8 S 76 E 25
 do 10 S 8 W 23
 80.00 Set post corner of Sec^s 29, 30, 31, 32
 Beech 12 S 70 E 8
 do 12 S 77 E 32
 Good farming land Beech Poplar Ash etc.
 East Between Sec^s 29 & 32 On Railroad
 40.00 Temporary of Sec. post
 50.50 A. Brook 10 lks East
 79.85 Intersected N & S line 12 lks S. of post
 Sand the same

West Corrected
 39.72 1/2 of Sec. corner Hickory 12 S 60 W 10
 Beech 20 S 80 E 14
 79.85 Section corner
 North Between Sec^s 29 & 30
 34.00 A. Beech 20 in. diam.
 40.00 of Sec. corner Beech 6 S 7 W
 do 20 S 47 E 20
 80.00 Set post corner to Sec^s 19, 20, 29, 30
 Sugar 10 S 21 E 17
 Beech 6 S 9 W 4
 Sand the same
 East Between Sec^s 20 & 29 On Railroad
 40.00 Temporary of Sec. post
 79.85 Intersected N & S line 30 lks North of post
 Good farming land Beech Poplar Ash etc.
 West Corrected
 39.72 1/2 of Sec. corner Beech 10 S 78 E 7
 do 12 S 60 W 15
 79.85 Section corner
 North Between Sec^s 19 & 20
 40.00 of Sec. corner Beech 16 S 28 E 7
 Dogwood 6 S 15 W 9
 & A. Spring West
 80.00 Set post corner to Sec^s 17, 18, 19, 20
 Beech 20 S 7 W 21
 do 12 S 23 E 10
 Sand the same
 East Between Sec^s 17 & 20 On Railroad
 40.00 Temporary of Sec. post
 79.72 Intersected N & S line 35 lks S. of post
 Sand the same
 West Corrected
 39.76 of Sec. corner Dogwood 6 S 35 W 4
 do 6 S 4 E 27
 79.72 Section corner

North Between Sec^s 17 & 18
 40.00 gr. Sec. Corner Ironwood 8 N 15 W 7
 June 20 1889 187
 50.00 A. M. Oak 20 in. diam.
 80.00 Set post corner to Sec^s 7, 8, 17, 18
 Walnut 15 N 15 W 16
 Sugar 5 N 35 E 9

Land the same

East Between Sec^s 8 & 17 On Random
 40.00 Temporary gr. Sec. post
 64.00 A. Spring run 12 lbs South
 79.73 Intersected N & S line 30 lbs North of post
 West Corrected
 39.96 gr. Sec. corner Sugar 10 N 39 W 16
 Elm 10 S 31 W 23

79.73 Section corner
 North Between Sec^s 7 & 8
 40.00 gr. Sec. corner Sugar 8 N 16 E 41
 Beech 20 N 66 E 26

50.00 Set post corner to Sec^s 5, 6, 7, 8
 Sassafras 8 N 6 W 37
 Beech 20 S 66 E 28

Land Oak, Sugar, Beech, Walnut &
 East Between Sec^s 5 & 8 On Random
 40.00 Temporary gr. Sec. post
 79.75 Intersected N & S line 32 lbs North of post
 Land the same

West Corrected
 39.87 gr. Sec. corner Beech 10 N 66 W 14
 do 6 S 52 E 11

79.75 Section corner
 North Between Sec^s 5 & 16
 40.00 gr. Sec. corner Elm 12 N 54 W 17
 Sugar 10 S 23 W 24

80.95 Set post on the North Boundary 5.25 lbs
 East of Section Corner

Beech 6 S 40 W 7
 do 1 S 88 E 7

Land rich & rolling

West Between Sec^s 7 & 17
 40.00 gr. Sec. corner Beech 10 S 53 W 5
 Hickory 10 N 74 W 9

69.25 Set post on the N. Boundary 70 lbs S. of post
 Sugar 10 S 50 W 8
 Beech 5 S 70 E 11

Land Oak Sugar, Beech 10 N 70 E 11
 West Between Sec^s 7 & 18

27.50 A. M. Oak 20 in. diam.
 40.00 gr. Sec. corner Beech 20 N 40 W 6
 do 20 N 66 E 22

69.50 Set post on the N. Boundary 66 lbs S. of post
 Sugar 20 N 5 W 32
 Beech 12 S 33 E 11

Same & level

East Between Sec^s 11 & 14 On Random
 40.00 Temporary gr. Sec. post
 79.80 Intersected N & S line 30 lbs North of post
 Land Oak, Oak, Hickory, Beech & c.

West Corrected
 39.90 gr. Sec. corner W. Oak 10 S 40 W 5
 Q. Oak 20 S 39 W 16

79.80 Section corner
 West Between Sec^s 18 & 19
 22.50 A. Oak 20 in. diam.

40.00 gr. Sec. corner Beech 6 N 20 E 5
 do 10 S 86 W 32

58.20 A. Oak 12 lbs S. W
 70.55 Set post on the N. Boundary 43 lbs S. of post
 Beech 24 N 37 E 6
 do 6 S 52 W 23
 Land Oak, Oak & Hickory

West Between Sec^s 19 & 30

40.00 gr. Sec. corner Beech 18 N 53 E 19
 do 20 N 72 W 28

70.95 Set post on the N. Boundary 18 lbs S. of post
 Dogwood 6 S 68 E 4
 Beech 20 N 73 E 14

Land Oak & level

West Between Sec^s 30 & 31
 25.00 A. Spring run West
 40.00 gr. Sec. corner Sugar 12 S 50 E 16
 W. Oak 10 S 53 W 16

63.00 A. Oak 12 lbs S. W
 71.55 Set post on the N. Boundary 49 lbs E. of post
 Sugar 10 S 3 W 40
 Beech 20 S 46 W 11

Land Oak & level

North Between Sec^s 14 & 15
 40.00 gr. Sec. corner Beech 10 S 27 W 7
 do 8 N 47 E 22

80.00 Set post corner to Sec^s 10, 11, 14, 15
 W. Oak 20 N 87 W 14
 Mulberry 10 N 15 E 38

Land the same

Surveyed by Arthur Davis D.S.

Township N^o 4 North, Range N^o 1 East 2nd Mer.

<p>Range line - var. 7° 30' E. North Between Ranges 1 & 2 E. Township 4 North; on E boundary of Sec. 36</p>	<p>Beck 10 N 42 W 2 Do 20 N 82 E 24 Land -</p>
<p>25.00 Brook 15 lks wide NE 35.00 Brook 30 lks, West 40.00 1/4 Sec. post - Beck 10 S 40 E 23 Sugar 6 S 15 W 18 57.00 Burr oak 20 in. dia. 80.00 Set post cor. of Sec. 25 & 36 Beck 10 N 53 E 4 Do 20 S 13 E 30 Good land; Beck &c</p>	<p>North On E. boundary of Sec. 12 32.50 Same Creek 150, North - line in creek 40.00 1/4 Sec. cor. in creek 50.00 Same creek left line - course NW 55.00 Buckeye 30 in. dia. 80.00 Set post cor. of Sec. 1 & 12, Beck 18 S 50 E 15 N 31 E 9 Good land; Beck, Elm, ash, oak &c</p>
<p>North On E. boundary of Sec. 25 40.00 1/4 Sec. post - Sugar 10 S 5 E 12 W. Oak 15 S 85 W 16 80.00 Set post cor. of Sec. 24 & 25, on South bank of White River, Hackberry 12 N 45 W 21 Do 10 N 15 E 21 Land very hilly, Beck &c</p>	<p>North On E. boundary of Sec. 1 40.00 1/4 Sec. post - Beck 6 S 8 W 24 Sugar 6 S 49 W 9 59.80 Brook 10 lks course S. W 80.00 Set post corner of Township N^o 4 & 5 N. Ranges N^o 1 & 2 E. Beck 6 S 47 E 13 Sugar 12 S 75 W 8 Good farming land; poplar, Sugar &c</p>
<p>North On E. boundary of Sec. 24 8.50 Set post on NW bank of White R. B. Walnut 12 S 30 E 15 Do 10 N 83 W 19 35.00 Spring, S. E. 40.00 1/4 Sec. cor. - Beck 6 S 53 E 16 Do 8 West 3 80.00 Set post corner of Sec. 13 & 24 Sugar 8 N 25 W 9 Do 6 S 25 E 19 Good farming land; Sugar, Beck & Ash</p>	<p>Township line - East Random, Between Towns 3 & 4 N 1 E 40.00 Temporary 1/4 Sec. post 80.00 Temporary cor. of Sec. 31 & 32 Land very brushy, soil thin. East 2nd Mile 40.00 Temporary 1/4 Sec. post 80.00 Temporary cor. of Sec. 32, 33 Land same; oak & Hickory</p>
<p>North On E. boundary of Sec. 13 40.00 Set 1/4 Sec. post - Spruce 7 S 63 E 9 Sugar 6 N 8 W 19 58.50 Creek 100 lks, West - a few sh. below the forks 80.00 Set post corner of Sec. 12 & 13,</p>	<p>East 3rd Mile 36.00 Brook 20 lks - course North 40.00 Temporary 1/4 Sec. post 80.00 Temporary cor. of Sec. 33, 34 Land same</p>

T 4 N, R. 1 E 2nd Mer.

<p>East 4th Mile 40.00 Set temporary 1/4 Sec. post 80.00 Set temporary post cor. of Sec. 34, 35 Good farming land; oak & Hickory.</p>	<p>80.00 Set post cor. of Sec. 32 & 33 W. Oak 12 N 64 E 20 W. Oak 10 N 73 W 20</p>
<p>East 5th Mile 40.00 temporary 1/4 Sec. post 43.50 Brook 25 lks course North 80.00 temporary post cor. of Sec. 35, 36 Land same</p>	<p>West on S. boundary of Sec. 32 40.00 1/4 Sec. post - W. Oak 10 N 60 W 22 Do 10 N 4 W 25 80.00 Set post cor. of Sec. 31 & 32 W. Oak 9 North 31 B. Oak 10 N 35 E 34</p>
<p>East 6th Mile 40.00 temporary 1/4 Sec. post 89.00 Brook 15 lks course North, and 101.24 Intersected N & S line north of post at town corner. Land hilly and brushy.</p>	<p>West On S. boundary of Sec. 31 40.00 1/4 Sec. post - W. Oak 28 S 85 E 49 Hem 18 N 33 W 19 99.20 Township corner. (a re-measurement) Arthur Henric (no date) D. S.</p>
<p>True line West Corrected between Towns 3 & 4 N Range 1 E. - S. bound'y of Sec. 36 40.00 Set 1/4 Sec. post - Poplar 18 S 10 E 7 Hickory 10 S 86 W 29 80.00 Set post cor. of Sec. 35 & 36 Logwood 8 S 67 E 19 no other near</p>	<p>Subdivision: North Between Sec. 35 & 36 9.20 Hickory 12 in. diam. 40.00 Set 1/4 Sec. post - Dogwood 6 N 84 E 6 Poplar 8 N 24 W 4 80.00 Set post corner of Sec. 25, 26, 35, 36 Dogwood 6 S 7 E 14 Do 5 N 43 W 8 Land level; poplar, oak, Hickory, ash &c</p>
<p>West On S. bound'y of Sec. 35 40.00 1/4 Sec. post - Sugar 10 N 65 E 52 Do 10 S 70 W 47 80.00 Set post cor. of Sec. 34 & 35 B. Oak 10 N 50 W 9 Elm 12 S 3 W 17</p>	<p>East Between Sec. 25 & 36, on random 40.00 temporary 1/4 Sec. post 59.50 Brook 40 lks course North 79.50 Intersected N & S line 110 lks North of post. Land rolling; timber as above, un- dergrowth spice</p>
<p>West On S. boundary of Sec. 34 40.00 Set 1/4 Sec. post. [bearings omitted] 80.00 Set post cor. of Sec. 33 & 34 W. Oak 10 N 37 E 25 Elm 7 S 12 E 20</p>	<p>West corrected 39.75 Set 1/4 Sec. post on true line Sugar 6 N 86 W 27 B. — 8 N 24 W 4</p>
<p>West On S. bound'y of Sec. 33 40.00 1/4 Sec. post - Poplar 12 S 9 E 16 Beck 5 N 40 W 7</p>	<p>79.50 Sec. corner</p>



Office of the Monroe County Surveyor
Trohn Enright-Randolph

Health Services Building
119 West 7th Street
Bloomington, IN 47404
Phone: (812) 349-2570

Dear User,

The following images were obtained in 2017 by the Office of the Monroe County Surveyor from the State Imaging and Microfilm Laboratory at the Indiana State Archives. The field notes and plats for Lawrence County are stored on microfilm Reel 1903 at the Indiana State Archives. Each page provided by the State Imaging and Microfilm Laboratory is approximately 18MB. Our office combined the pages by Township & Range and reduced the resulting pdfs. This process may have caused some degradation in quality. We will provide unreduced images of specific pages if required. Please contact us at 812-349-2570 or at SurveyorsOffice@co.monroe.in.us to request a higher quality image of any specific page.

The pdfs are bookmarked with the original page numbers as assigned by the State Imaging and Microfilm Laboratory.

Be prepared to provide the county name, reel number, and the required page numbers when requesting full sized images.

If you would like a DVD of an entire county, please provide us with one DVD per county along with a self-addressed, stamped envelope.

Trohn Enright-Randolph
Monroe County Surveyor

T 5 N

R 2 E



Township N° V North of the Base Line, Range N° II East of 2nd Meridian. Surveyed by Arthur Henric - 1811

Description of the Soil on the interior Sectional lines.

Township N. 5 North, Range N. 2 East 2nd Mer.

Range Line — Var. 7° 00' E.		North	On the East Side of Sec. 12
North	Between Ranges 2 & 3 E. Town 5 North	40.00	gr. Sec. Corner Beech 8 S 68 E 3
	On the East Side of Sec. 36		do 8 S 8 E 33
40.00	gr. Sec. Corner Poplar 20 S 45 W 23	74.00	A. Brook 10 lbs East
	Beech 12 S 70 E 25	80.00	Set post corner to Sec. 10 12
75.75	A. Brook 10 lbs. N. W		Beech 20 S 6 E 50
80.00	Set post corner to Sec. 25 S 36		do 20 S 50 W 28
	Beech 20 N 11 E 13		Same the same?
	do 11 N 57 E 11	North	On the East Side of Sec. 1
	Same Broken. Beech. Poplar V.	40.00	gr. Sec. Corner Beech 18 S 85 W 3
North	On the East Side of Sec. 25		do 6 S 5 W 31
23.70	A. Sugar 10 in. diam.	80.00	Set post corner of Towns 5 & 6 in Ranges 2 & 3 E
40.00	gr. Sec. Corner Beech 12 S 15 W 30		Beech 28 N 85 E 23
	do 6 S 7 W 16		do 15 N 83 W 28
48.50	A. Brook 20 lbs West		Same & Timber the same?
60.00	A. Gum 12 in. diam.		Township Line — Random
74.00	A. Brook 20 lbs West	West	Between Townships 4 & 5 N. R. 2 E
80.00	Set post corner to Sec. 24 S 28		On Random
	Beech 28 S 16 W 14	40.00	Set temporary gr. Sec. post
	Sugar 10 S 88 E 9	80.00	Set temporary mile post
	Same & Timber the same?		Same Hilly. Timber Oak V.
North	On the East Side of Sec. 24	West	Line continued On Random
22.90	A. Poplar 36 in. diam.	40.00	Set temporary gr. Sec. post
40.00	gr. Sec. Corner Poplar 36 South 18	75.50	A. Brook 75 lbs South
	Beech 6 N 63 E 4	80.00	Set temporary mile post
80.00	Set post corner to Sec. 13 S 24	West	Line continued On Random
	Dickory 12 N 88 E 8	40.00	Set temporary gr. Sec. post
	Sugar 8 S 65 W 14	60.00	A. Spring run 6 lbs. South
	Same the same?	80.00	Set temporary mile post
North	On the East Side of Sec. 13		Good Farming land. Timber Same
19.38	A. Brook 50 lbs West	West	Line continued On Random
32.50	A. Brook 10 lbs S. E	40.00	Temporary gr. Sec. post
40.00	gr. Sec. Corner Maple 8 S 19 E 35	80.00	Set temporary mile post
	Beech 8 S 31 W 15		
80.00	Set post corner to Sec. 12 S 13		
	Beech 8 S 1 W 13		
	do 8 S 8 E 10		

West	Line continued On Random	East	Continued on true line
9.00	A. Brook 100 lbs. South	40.00	gr. Sec. Corner Dogwood 6 N 13 W 8
10.00	Set temporary gr. Sec. post		Beech 6 N 83 W 15
80.00	Set temporary mile post	80.00	Set post corner to Sec. 35 S 36
	Good Farming land. Oak. Beech. Poplar V.		Beech 6 N 57 E 27
West	Line continued On Random		Walnut 12 S 36 E 29
40.00	Set temporary gr. Sec. post	East	Continued on true line
71.25	Set South of Town. Corner	40.00	gr. Sec. Corner N. Oak 12 S 21 W 9
	Very Rich Farming land. Oak. Beech. Poplar V. & Gum		Dogwood 5 N 80 E 43
	True line — var. 6° 10' E.	80.00	Township Corner
East	Between Townships 4 & 5 N. R. 2 East		Surveyed by Arthur Mann D.S.
31.25	gr. Sec. Corner Sugar 12 S 59 E 7		
	Beech 6 S 12 E 23		
71.25	Set post to corner of Sec. 31 S 32		
	Beech 12 N 45 E 7		
	do 10 N 39 W 20		
East	Line continued		
40.00	On true line Beech 10 N 24 W 1		
	do 12 S 24 E 26		
80.00	Set post to corner of Sec. 32 S 33		
	N. Oak 10 S 81 E 28		
	B. Oak 20 S 70 W 11		
East	Continued On true line		
40.00	gr. Sec. Corner Hickory 10 N 86 E 12		
	N. Oak 12 S 12 E 22		
80.00	Set post to corner of Sec. 33 S 34		
	Beech 10 N 23 E 4		
	do 8 S 79 W 20		
East	Continued On true line		
40.00	gr. Sec. Corner Beech 20 S 84 E 24		
	Dogwood 8 N 68 W 22		
80.00	Set post corner to Sec. 34 S 35		
	Sugar 10 S 64 E 10		
	Beech 12 S 67 W 6		

Subdivisions of T5 St. Range 2 East		North	Between Secs 23 & 24
40.00	gr. Sec. corner Dogwood 6 ft E 3	40.00	gr. Sec. corner Ironwood 6 ft 10 E 19
	Poplar 10 ft 8 ft W 15		Sycamore 24 ft 14 E 21
60.00	A. Brook 12 lbs North	43.00	A. Brook 5 lbs West
78.00	A. Brook 30 lbs S. W	80.00	Set post corner of Secs 13, 14, 23, 24
80.00	Set post corner to Secs 25, 26, 35, 36		Elm 10 ft 10 E 10
	Elm 8 ft 5 ft W 24		Beech 4 ft 24 E 8
	do 12 ft 20 E 38		Land Hilly. Beech. Oak. Sugar & Hickory
East	Between Secs 25 & 36 On Random	East	Between Secs 13 & 24 On Random
1.00	A. Brook 30 lbs. S. W	16.00	A. Brook 10 lbs South
40.00	Set Temporary gr. Sec. post	40.00	Temporary gr. Sec. post
80.40	Intersected N & S line 12 lbs South of post	55.00	A. Brook 40 lbs S. W
	Land & Timber the same	80.50	Intersected N & S line 40 lbs S. of post
West	Corrected		Land & Timber same
40.20	gr. Sec. corner Elm 10 ft 8 ft W 17	West	Corrected
	Beech 10 ft 4 ft E 27	40.25	gr. Sec. corner Beech 6 ft 31 ft W 22
80.40	Section corner		do 12 ft 4 ft W 38
North	Between Secs 25 & 26	80.50	Section corner
35.00	A. Poplar 30 in. diam?	North	Between Secs 13 & 14
40.00	gr. Sec. corner Beech 20 ft 2 ft E 38	20.00	A. Brook 10 lbs. S. W
	do 18 ft 10 E 26	40.00	gr. Sec. corner B. Oak 10 ft 8 ft E 10
80.00	Set post corner to Secs 23, 24, 25, 26		No more trees
	Dogwood 8 ft 8 ft E 17	80.00	Set post corner to Secs 11, 12, 13, 14
	do 4 ft 9 E 26		Poplar 12 ft 8 ft E 19
	Land & Timber the same		Sugar 6 ft 3 ft E 15
East	Between Secs 24 & 25 On Random		Land & Timber the same
40.00	Temporary gr. Sec. post	East	Between Secs 12 & 13 On Random
80.00	Intersected N & S line 20 lbs. South of post	14.50	A. Brook 12 lbs. South
	Land & Timber the same	40.00	Temporary gr. Sec. post
West	Corrected	80.76	Intersected N & S line 12 lbs. South of post
40.00	gr. Sec. corner Beech 6 ft 33 E 16		Land & Timber the same
	do 10 ft 55 ft W 17	West	Corrected
80.00	Section corner	40.38	gr. Sec. corner Sugar 6 ft 50 ft W 12
			W. Oak 7 ft 9 E 10
		80.76	Section corner

North	Between Secs 11 & 12	East	Between Secs 26 & 35 On Random
40.00	gr. Sec. corner Hickory 6 East 10	40.00	Temporary gr. Sec. post
	No other tree	79.35	Intersected N & S line 10 lbs South of post
80.00	Set post corner to Secs 1, 2, 11, 12		Land Hilly. timber Oak. Hickory
	Beech 6 ft 4 ft W 4	West	Corrected
	Sugar 20 ft 22 E 21	39.75	gr. Sec. corner Beech 8 ft 61 ft W 26
	Land very Hilly. Oak timber		do 8 ft 52 E 9
East	Between Secs 11 & 12 On Random	79.35	Section corner
40.00	Temporary gr. Sec. post	North	Between Secs 26 & 27
79.75	Intersected N & S line 12 lbs South of post	40.00	gr. Sec. corner Elm 6 ft 19 ft W 9
	Land the same		Beech 10 ft 61 E 17
West	Corrected	65.10	A. W. Oak 20 in. diam?
39.75	gr. Sec. corner Beech 20 ft 45 E 25	80.00	Set post corner to Secs 22, 23, 26, 27
	do 8 ft 30 W 5		Beech 12 ft 15 E 70
79.75	Section corner		do 10 ft 10 W 26
North	Between Secs 11 & 12		Good farming land. Beech. Poplar
40.00	gr. Sec. corner Dogwood - 11 ft 30 E 11	East	Between Secs 25 & 26 On Random
	Beech 6 ft 35 ft W 10	20.00	A. Brook 40 lbs S. W
74.50	A. Sugar 20 in. diam?	36.00	Same S. W
82.75	Set post on the North Boundary 15 lbs N. of post	40.00	Temporary gr. Sec. post
	Ironwood 6 ft 54 ft W 6	79.10	Intersected N & S line 20 lbs South of post
	Beech 8 ft 16 ft W 20		Land the same
	Good farming land. Poplar. Beech	West	Corrected
North	Between Secs 34 & 35	39.55	gr. Sec. corner W. Oak 20 ft 74 ft W 22
7.00	A. Brook 75 lbs. S. E		do 17 ft 9 E 21
35.00	A. Brook 15 lbs S. W	79.10	Section corner
40.00	gr. Sec. corner Beech 20 ft 45 E 18	North	Between Secs 22 & 23
	Sugar 10 ft 8 ft W 16	4.00	A. Brook 40 lbs. West
60.20	A. Beech 15 in. diam?	40.00	gr. Sec. corner Beech 10 ft 6 E 24
80.00	Set post corner to Secs 26, 27, 34, 35		Ironwood 8 ft 30 E 23
	Sugar 10 ft 39 E 13	80.00	Set post corner to Secs 14, 15, 22, 23
	do 10 ft 36 W 2		W. Oak 8 ft 6 E 9
	Land Hilly. Timber Sugar. Beech		Beech 8 ft 68 ft W 10
			Land Hilly. timber same

East Between Secs 14 & 23 On Random
 33.20 A. Brook 10 lks. South
 40.00 Temporary gr. Sec. Corner
 79.45 Intersected N & S line 12 lks N. of post
 Sand & Timber Same
 West Corrected
 39.72 gr. Sec. corner W. Oak 10 N 25 W 11
 Chestnut 12 S 88 E 19
 79.45 Section Corner
 North Between Secs 10 & 11
 40.00 gr. Sec. corner Sugar 24 S 34 W 45
 Beech 12 N 80 E 27
 80.00 Set post corner to Secs 2, 3, 10, 11
 Beech 20 S 14 E 27
 Dogwood 5 N 31 W 20
 Sand the same
 East Between Secs 2 & 11 On Random
 40.00 Temporary gr. Sec. post
 79.92 Intersected N & S line 80 lks N. of post
 Sand the same
 West Corrected
 39.96 gr. Sec. corner Beech 8 N 74 W 74
 Hickory 8 S 2 E 17
 79.92 Section Corner
 North Between Secs 2 & 3
 3.00 A. Brook 10 lks West
 26.50 A. Brook 10 lks. N. W
 40.00 gr. Sec. corner Sugar 6 S 11 E 12
 Beech 9 N 88 E 22
 76.50 A. Brook 40 lks. West
 81.62 Set post on the N. Boundary 208 lks E. of post
 Beech 6 S 13 W 7
 do 5 S 48 E 4
 Sand the same

North Between Secs 33 & 34
 40.00 gr. Sec. corner B. Walnut 20 South 95
 No other tree
 80.00 Set post corner to Secs 27, 28, 33, 34
 Beech 10 S 14 E 6
 do 24 N 82 W 36
 Jack Oak lumb. Poplar, Ash, Beech &
 East Between Secs 27 & 34 On Random
 40.00 Temporary gr. Sec. post
 73.00 A. Brook 50 lks South
 80.55 Intersected N & S line 48 lks N. of post
 Sand Rolling timber Same
 West Corrected
 40.27 gr. Sec. corner Elm 10 N 15 W 13
 Beech 10 N 83 E 19
 80.55 Section Corner
 North Between Secs 27 & 28
 40.00 gr. Sec. corner Dogwood 6 N 18 E 10
 Hickory 5 N 7 W 19
 80.00 Set post corner of 21, 22, 27, 28
 Beech 20 N 51 W 13
 do 20 S 10 W 27
 Sand Billy timber the same
 East Between Secs 22 & 27 On Random
 40.00 Temporary gr. Sec. post
 54.00 A. Spring North
 67.00 A. Brook 10 lks. S. E.
 76.00 A. Brook 50 lks South
 80.20 Intersected N & S line 12 lks N. of post
 Sand the same
 West Between Secs 22 & 27 Corrected
 40.10 gr. Sec. corner Beech 10 S 17 E 26
 do 20 S 56 W 22
 80.20 Section Corner

North Between Secs 21 & 22
 30.00 Fine Ridge & Edge of Rocks
 33.00 A. Brook 50 lks. S. W
 40.00 gr. Sec. corner Beech 6 S 26 W 8
 do 12 S 19 E 18
 45.00 Same Brook S. E.
 54.00 Same Brook S. W } on the North side
 74.00 Same Brook S. E } high bluffs of Rocks
 80.00 Set post corner to Secs 15, 16, 21, 22
 Mulberry 6 N 9 E 20
 Beech 24 S 12 E 23
 Broken land. Timber Oak, Beech &
 East Between Secs 15 & 22 On Random
 40.00 Temporary gr. Sec. post
 66.50 A. Brook 12 lks. S. W
 80.00 Intersected N & S line 20 lks N. of post
 Sand Oak & Rolling
 West Between Secs 15 & 22 Corrected
 40.00 gr. Sec. corner Elm 10 S 44 W 4
 Hickory 8 N 51 E 6
 80.00 Section Corner
 North Between Secs 15 & 16
 40.00 gr. Sec. corner Beech 10 N 11 W 13
 Sugar 10 S 3 W 16
 57.00 A. Brook 10 lks. West
 80.00 Set post corner of Secs 9, 10, 15, 16
 Ironwood 8 N 84 E 9
 do 6 S 29 W 9
 Billy lumb. Beech, Poplar, Mug. Dogwood
 East Between Secs 10 & 15 On Random
 40.00 Temporary gr. Sec. post
 80.00 Intersected N & S line 8 lks. N. of post
 Sand the same
 West Corrected
 40.00 gr. Sec. corner Hickory 12 S 45 W 2
 Dogwood 6 N 72 W 20
 80.00 Section Corner

North Between Secs 9 & 10
 40.00 gr. Sec. corner Beech 8 S 0 W 21
 Elm 6 S 33 W 11
 This post stands in a Brook 10 lks. West
 80.00 Set post corner to Secs 3, 4, 9, 10
 Sugar 6 N 44 W 8
 Beech 8 N 13 E 11
 Sand Billy. Beech, Poplar, Mug. Dogwood
 East Between Secs 3 & 10 On Random
 18.00 A. Brook 15 lks. N. W
 40.00 Temporary gr. Sec. post
 80.00 Intersected N & S line 10 lks N. of post
 Sand the same
 West Corrected
 40.00 gr. Sec. corner Sugar 12 N 77 E 22
 Dogwood 6 S 16 W 8
 80.00 Section Corner
 North Between Secs 3 & 4
 1.00 A. Brook 20 lks. S. W
 40.00 gr. Sec. corner Ironwood 6 N 23 W 13
 Beech 20 S 6 W 27
 47.00 A. Brook 20 lks. N. W
 81.75 Set post on the N. Boundary 175 lks E. of post
 Beech 10 N 18 W 10
 Sugar 10 S 3 E 20
 Sand the same
 North Between Secs 32 & 33
 40.00 gr. Sec. corner in a Brook 50 lks S. W
 Ironwood 10 S 0 E 26
 80.00 Set post corner of Secs 28, 29, 32, 33
 Hickory 10 S 37 E 15
 Beech 38 N 78 W 16
 Sand very Billy. Oak, Hickory, Beech
 gr.

East Between Sec^s 28 & 33 On Random
40.00 Temporary of Sec. post
43.00 A. Brook 50 lks South
77.75 Intersected N & S line 4 lks. South of post
Land very dry. Oak Hickory, Beech &c.
West Between Sec^s 28 & 33 Corrected
39.87 1/2 of Sec. Corner Beech 6 S 70 W 4
Sugar 12 S 25 E 11
77.75 Section Corner
North Between Sec^s 28 & 29
33.90 A. W. Oak 28 in. diam?
40.00 of Sec. Corner Dogwood 6 S 34 W 11
do 5 S 51 W 17
80.00 Set post corner to Sec^s 20, 21, 28, 29
Beech 8 S 47 E 4
do 6 S 50 W 14
Land the same
East Between Sec^s 21 & 28 On Random
40.00 Temporary of Sec. post
42.50 A. Brook 50 lks South
65.00 A. Brook 7 lks S. W
80.00 Intersected N & S line 20 lks S. of post
Land the same
West Corrected
40.00 of Sec. Corner Beech 6 S 68 E 7
do 8 S 15 W 17
80.00 Section Corner
North Between Sec^s 20 & 21
35.00 A. Brook 10 lks East
40.00 of Sec. Corner Beech 24 S 23 E 10
Chesnut 12 S 3 E 27
80.00 Set post corner of Sec^s 16, 17, 20, 21
Beech 24 S 80 E 14
Sugar 8 S 21 W 25
Land the same

East Between Sec^s 16 & 21 On Random
37.25 A. Brook 50 lks South
40.00 Temporary of Sec. post
64.00 A. Brook 10 lks S. W
77.00 Intersected N & S line 20 lks South of post
West Between Sec^s 16 & 21 Corrected
39.50 of Sec. Corner Beech 20 S 12 W 13
Sugar 6 S 34 W 3
77.00 Section Corner
North Between Sec^s 16 & 17
40.00 of Sec. Corner Beech 16 S 5 E 35
This post stands on the N. Side of Brook 10 lks. S. E
59.50 A. Brook 12 lks East
80.00 Set post corner of Sec^s 8, 9, 16, 17
Beech 6 S 16 W 7
do 12 East 15
Land good for farming. Oak, Hickory, Beech &c.
East Between Sec^s 9 & 16 On Random
34.00 A. Brook 50 lks S. W. on the E. Side Pine
40.00 Temporary of Sec. post
77.84 Intersected N & S line 82 lks S. of post
Land the same
West Corrected
39.72 of Sec. Corner Beech 6 S 84 W 8
Maple 7 S 44 W 4
77.84 Section Corner
North Between Sec^s 8 & 9
40.00 of Sec. Corner Beech 6 S 13 E 7
do 8 S 14 E 16
50.00 A. Chesnut 30 in. diam?
80.00 Set post corner to Sec^s 4, 5, 8, 9
Sugar 10 S 30 W 23
do 30 S 5 W 27
Land the same

East Between Sec^s 4 & 9 On Random
1.50 A. Brook 12 lks South
40.00 Temporary of Sec. post
43.00 A. Brook 10 lks S. E
48.00 A. Brook 40 lks South
75.00 A. Brook 12 lks S. W
77.10 Intersected N & S line 77 lks S. of post
Land the same
West Corrected
39.55 of Sec. Corner Sugar 10 S 68 E 7
Beech 12 S 43 E 16
77.10 Section Corner
North Between Sec^s 4 & 5
1.00 A. Brook 10 lks East
40.00 of Sec. Corner Beech 6 S 63 W 9
do 7 S 11 W 18
82.35 Set post of the N. Boundary 45 lks E of post
Sugar 10 S 65 W 16
Ironwood 6 S 57 E 22
Land the same
North Between Sec^s 31 & 32
8.00 A. Spring run 5 lks East
30.00 A. Spring East
40.00 of Sec. Corner Sugar 8 S 76 E 25
do 10 S 8 W 23
80.00 Set post corner of Sec^s 29, 30, 31, 32
Beech 12 S 70 E 8
do 12 S 17 E 32
Good farming land Beech, Poplar, Ash &c.
East Between Sec^s 29 & 32 On Random
40.00 Temporary of Sec. post
50.50 A. Brook 10 lks East
77.85 Intersected N & S line 12 lks N. of post
Land the same

West Corrected
39.72 1/2 of Sec. Corner Hickory 12 S 60 W 10
Beech 20 S 80 E 14
77.85 Section Corner
North Between Sec^s 29 & 30
34.00 A. Beech 20 in. diam?
40.00 of Sec. Corner Beech 6 S 7 W
do 20 S 47 E 20
80.00 Set post corner to Sec^s 19, 20, 29, 30
Sugar 10 S 21 E 17
Beech 6 S 9 W 4
Land the same
East Between Sec^s 20 & 29 On Random
40.00 Temporary of Sec. post
77.85 Intersected N & S line 30 lks North of post
Good farming land, Beech, Poplar, Ash &c.
West Corrected
39.72 1/2 of Sec. Corner Beech 10 S 78 E 7
do 12 S 60 W 15
77.85 Section Corner
North Between Sec^s 19 & 20
40.00 of Sec. Corner Beech 16 S 28 E 7
Dogwood 6 S 15 W 9
A. Spring West
80.00 Set post corner to Sec^s 17, 18, 19, 20
Beech 20 S 7 W 21
do 12 S 23 E 10
Land the same
East Between Sec^s 17 & 20 On Random
40.00 Temporary of Sec. post
77.72 Intersected N & S line 35 lks West of post
Land the same
West Corrected
39.96 of Sec. Corner Dogwood 6 S 35 W 4
do 6 S 4 E 27
77.72 Section Corner

North Between Secs 1 & 18
 40.00 gr. Sec. corner Hancock 8 N 15 W 7
 June 20 1889 1879
 50.00 A. W. Oak 20 in. diam.
 80.00 Set post corner to Secs 7, 8, 17, 18
 Walnut 15 N 15 W 16
 Sugar 5 N 35 E 9
 Land the same
 East Between Secs 8 & 17 On Random
 40.00 Temporary gr. Sec. post
 64.00 A. Spring run 12 lbs South
 79.93 Intersected N & S line 30 lbs North of post
 West Corrected
 39.962 gr. Sec. corner Sugar 10 N 39 W 16
 Elm 10 S 31 W 23
 79.93 Section corner
 North Between Secs 7 & 8
 40.00 gr. Sec. corner Sugar 8 N 19 E 41
 Beech 20 N 66 E 26
 80.00 Set post corner to Secs 5, 6, 7, 8
 Sassafras 8 N 6 W 37
 Beech 20 S 56 E 28
 Land Rich. Sugar. Beech. Walnut &
 East Between Secs 5 & 8 On Random
 40.00 Temporary gr. Sec. post
 79.95 Intersected N & S line 72 lbs North of post
 Land the same
 West Corrected
 39.872 gr. Sec. corner Beech 10 N 66 W 14
 do 6 S 52 E 11
 79.95 Section corner
 North Between Secs 5 & 16
 40.00 gr. Sec. corner Elm 12 N 54 W 17
 Sugar 10 S 23 W 34

80.95 Set post on the North Boundary 5.25 lbs
 East of Section corner
 Beech 6 S 40 W 7
 do 188 E 7
 Land rich & rolling
 West Between Secs 6 & 7
 40.00 gr. Sec. corner Beech 10 S 53 W 5
 Hickory 10 N 74 W 9
 69.25 Set post on the N. Boundary 70 lbs. S. of post
 Sugar 10 S 50 W 8
 Beech 8 S 70 E 11
 Land Rich Sugar. Beech. 11 1/2 lbs. Spruce
 West Between Secs 7 & 18
 29.80 A. W. Oak 20 in. diam.
 40.00 gr. Sec. corner Beech 20 N 40 W 6
 do 20 N 66 E 22
 69.50 Set post on the N. Boundary 66 lbs. S. of post
 Sugar 20 N 5 W 32
 Beech 12 S 33 E 11
 Same & level
 East Between Secs 11 & 14 On Random
 40.00 Temporary gr. Sec. post
 79.80 Intersected N & S line 30 lbs North of post
 Land Rich. Oak. Hickory. Beech &
 West Corrected
 39.90 gr. Sec. corner W. Oak 10 S 76 W 5
 B. Oak 20 N 37 W 16
 79.80 Section corner
 West Between Secs 18 & 19
 22.50 A. Beech 20 in. diam.
 40.00 gr. Sec. corner Beech 6 N 20 E 5
 do 10 S 86 W 32
 58.20 A. Beech 12 lbs S. W
 70.55 Set post on the N. Boundary 43 lbs. S. of post
 Beech 24 N 37 E 6
 do 6 S 52 W 33
 Land Rich. Oak & Hickory

West Between Secs 19 & 30
 40.00 gr. Sec. corner Beech 18 N 53 E 19
 do 20 N 72 W 28
 70.95 Set post on the N. Boundary 15 lbs. S. of post
 Dogwood 6 S 68 E 4
 Beech 20 N 73 E 14
 Land Rich & level
 West Between Secs 30 & 31
 25.00 A. Spring run West
 40.00 gr. Sec. corner Sugar 12 S 50 E 16
 W. Oak 10 S 53 W 16
 63.00 A. Beech 12 lbs S. W
 71.55 Set post on the N. Boundary 49 lbs. E. of post
 Sugar 10 S 3 W 40
 Beech 20 S 76 W 11
 Land Section & Rich
 North Between Secs 14 & 15
 40.00 gr. Sec. corner Beech 10 S 77 W 7
 do 8 N 47 E 22
 80.00 Set post corner to Secs 10, 11, 14, 15
 W. Oak 20 N 87 W 14
 Mulberry 10 N 15 E 38
 Land the same
 Surveyed by Arthur Davis D.S.